

Revision to: “Appendix to the report: Usage of Antibiotics in Agricultural Livestock in the Netherlands in 2020 - Trends, benchmarking of livestock farms and veterinarians”

The column headers of table A3 were mixed up for the different livestock sectors leading to wrong values. The old table and the revised table are on the next two pages.

Old table A3. Kilograms of antibiotics used (by livestock sector and for all livestock sectors combined) and sold in 2020, by pharmacotherapeutic group

Pharmacotherapeutic group	Kilograms used, according to delivery records									Kilograms sold
	Broiler farming sector	Turkey farming sector	Pig farming sector	Dairy cattle farming sector	Veal farming sector	Non-dairy cattle farming sector	Rabbit farming sector	Other poultry farming subsectors	All livestock sectors combined	
1st-choice antibiotics	3,580	947	2,601	52,026	10,185	37,014	5,092	503	111,947	118,429
As a proportion of overall AB use/sales	41.0%	80.4%	83.9%	79.9%	82.2%	81.5%	83.0%	81.4%	78.4%	77.1%
Amphenicols	0	0	0	1,575	488	2,063	389	0	4,515	4,603
Fixed-dose combinations	0	0	0	0	0	0	0	0	0	325
Macrolides/lincosamides	437	236	1,183	7,201	540	12,562	1,279	31	23,469	23,537
Other	0	0	0	0	0	0	0	61	61	630
Penicillins	728	48	595	4,412	3,523	471	290	0	10,0n 67	10,741
Pleuromutilins	0	0	33	262	0	0	0	53	348	379
Tetracyclines	977	623	573	24,876	1,718	16,937	2,616	121	48,441	48,515
Trimethoprim/sulfonamides	1,438	39	217	13,701	3,917	4,980	517	237	25,046	29,699
2nd-choice antibiotics	5,136	214	268	11,940	2,178	8,388	1,034	115	29,274	33,539
As a proportion of overall AB use/sales	58.8%	18.2%	8.6%	18.3%	17.6%	18.5%	16.9%	18.6%	20.5%	21.8%
Aminoglycosides	10	1	0	97	233	204	26	113	685	1,006
Aminopenicillins	4,329	213	172	11,030	1,297	6,740	709	0	24,490	27,955
1st- and 2nd-gen. cephalosporins	0	0	0	0	16	0	0	0	17	432
Quinolones	774	0	96	212	5	1,423	169	1	2,680	2,494
Fixed-dose combinations	23	0	0	498	623	5	125	0	1,274	1,520
Macrolides/lincosamides	0	0	0	104	5	16	5	0	129	132
3rd-choice antibiotics	24	16	230	1,176	23	19	9	0	1,497	1,553
As a proportion of overall AB use/sales	0.3%	1.4%	7.4%	1.8%	0.2%	0.0%	0.1%	0.0%	1.0%	1.0%
3rd- and 4th-gen. cephalosporins	0	0	0	0	0	0	0	0	0	0,6
Fluoroquinolones	15	16	15	1	18	6	1	0	71	149
Polymyxins	9	0	215	1,175	5	13	8	0	1,425	1,404
Overall	8,740	1,177	3,099	65,143	12,387	45,421	6,135	617	142,718	153,521

Revised table A3. Kilograms of antibiotics used (by livestock sector and for all livestock sectors combined) and sold in 2020, by pharmacotherapeutic group

Pharmacotherapeutic group	Kilograms used, according to delivery records									Kilograms sold
	Broiler farming sector	Turkey farming sector	Other poultry farming subsectors	Pig farming sector	Dairy cattle farming sector	Veal farming sector	Non-dairy cattle farming sector	Rabbit farming sector	All livestock sectors combined	
1st-choice antibiotics	3,580	947	2,601	52,026	10,185	37,014	5,092	503	111,947	118,429
As a proportion of overall AB use/sales	41.0%	80.4%	83.9%	79.9%	82.2%	81.5%	83.0%	81.4%	78.4%	77.1%
Amphenicols	0	0	0	1,575	488	2,063	389	0	4,515	4,603
Fixed-dose combinations	0	0	0	0	0	0	0	0	0	325
Macrolides/lincosamides	437	236	1,183	7,201	540	12,562	1,279	31	23,469	23,537
Other	0	0	0	0	0	0	0	61	61	630
Penicillins	728	48	595	4,412	3,523	471	290	0	10,0n 67	10,741
Pleuromutilins	0	0	33	262	0	0	0	53	348	379
Tetracyclines	977	623	573	24,876	1,718	16,937	2,616	121	48,441	48,515
Trimethoprim/sulfonamides	1,438	39	217	13,701	3,917	4,980	517	237	25,046	29,699
2nd-choice antibiotics	5,136	214	268	11,940	2,178	8,388	1,034	115	29,274	33,539
As a proportion of overall AB use/sales	58.8%	18.2%	8.6%	18.3%	17.6%	18.5%	16.9%	18.6%	20.5%	21.8%
Aminoglycosides	10	1	0	97	233	204	26	113	685	1,006
Aminopenicillins	4,329	213	172	11,030	1,297	6,740	709	0	24,490	27,955
1st- and 2nd-gen. cephalosporins	0	0	0	0	16	0	0	0	17	432
Quinolones	774	0	96	212	5	1,423	169	1	2,680	2,494
Fixed-dose combinations	23	0	0	498	623	5	125	0	1,274	1,520
Macrolides/lincosamides	0	0	0	104	5	16	5	0	129	132
3rd-choice antibiotics	24	16	230	1,176	23	19	9	0	1,497	1,553
As a proportion of overall AB use/sales	0.3%	1.4%	7.4%	1.8%	0.2%	0.0%	0.1%	0.0%	1.0%	1.0%
3rd- and 4th-gen. cephalosporins	0	0	0	0	0	0	0	0	0	0,6
Fluoroquinolones	15	16	15	1	18	6	1	0	71	149
Polymyxins	9	0	215	1,175	5	13	8	0	1,425	1,404
Overall	8,740	1,177	3,099	65,143	12,387	45,421	6,135	617	142,718	153,521