

GFT-51-Tabletop Compact Industrial Keyboard

Complete Standard Layout ideal for use in extremely cramped Application Areas.



Description

This [USB](#) desktop keyboard is ideal for use extremely cramped areas as well as for applications needing a separate mouse device for data input.

The keyboard covers the layout of a standard keyboard, with its compact size of 127 x 115 x 10 mm. The numerical and alphanumeric keys have individual RAL-colors to visually differentiate the input keys.

The GFT-51 is ideal for alphanumeric code inputs in industrial, medical or laboratory applications. The keyboard is dust- and waterproof according to [IP 65](#). The metal dome key technology even allows a data input with gloves.

Features

- Membrane keyboard with USB interface. Available with integrated [Touchpad](#)
- Customized solutions concerning form, color and [Design](#)
-
- Dust- and waterproof up to DIN IP 65 on the front
- The key mechanics of the GFT-51 is based on 9 mm metal dome including gold contacts



Specification

Mechanical data

Housing:	Polystyrene (HIPS)
Degree of Protection:	IP65
Dimensions:	127 x 115 x 10 mm
Cable Length:	180 cm

Keys

Key Technology:	metal dome
Number of Keys:	51
Keyboard Layout:	German or US
Operational Life:	1 mio. keystrokes min.
Actuation Force:	2 N
Stroke Travel:	0,3 mm
Key Legend:	silk screen

Electric Data




Interface:	USB or PS/2
Operating Voltage:	5 V
Operating Current:	4 mA

Environment

Operating Temperature: from 0 °C to +70 °C

Order No.	Article	
KS2371	GFT-51-T-PS/2-Ger	PS/2, German
KS2372	GFT-51-T-PS/2-US	PS/2, US
KS2230	GFT-51-T-USB-Ger	USB, German
KS2297	GFT-51-T-USB-US	USB, US

Links

Click!	Titel
	<p>GFT-51-T-Touch integrated in a housing Complete Standard Layout ideal for use under cramped conditions.</p>
	<p>GFT-51-Matrix Membrane Keyboard Complete Standard Layout available with appropriate Controller and Housing</p>
	<p>GFT-51 Compact Membrane Keyboard with integrated Touchpad Complete Standard Layout available with appropriate Controller and Housing</p>

sales@tastaturen.com Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11