

GFT-105 New Frontplate Version

Membrane meets Metal: Membrane Keyboard
now integrated in Metal Frontplate



Description




Flat and Stable

In order to complete the development of the GFT Series, GeBE Computer & PerIPherie GmbH took a step forward: The robust and colorful foils were laminated onto the front plate, milled out of aluminium. The colorful [Designed](#) foil is nearly as much flat as a beer mat and due to the rear-mounted studs ideal for integration into consoles with a small depth. The keyboard controller GCK-990 offers the customers a wide range of customized solutions: The user can feel free to exclusively decide about color of the keys, individual [Programming](#) as well as [PS/2](#) or [USB](#) interface.

Download Link for Product Picture

[GFT-105 as Frontpanel Version](#)



Specification

Mechanical data

Housing:	Front-panel mounted with integrated studs
Housing:	Aluminium
Degree of Protection:	IP65 on front
Dimensions:	341 x 163 x 15 mm
Cable Length:	180 cm

Keys

Key Technology:	metal dome
Number of Keys:	105
Keyboard Layout:	German or US or France or Swiss
Operational Life:	1 mio. keystrokes min.

Actuation Force: 2 N
 Stroke Travel: 0,3 mm
 Key Legend: silk screen

Electric Data

Interface: [USB](#) or [PS/2](#)
 Operating Voltage: 5 V
 Operating Current: 4 mA

Environment



Operating Temperature: from 0 °C to +70 °C

Guarantee

Certifications: CE

Order No.	Article	
KF1341	GFT-105-Front-Touch-PS/2-Ger	PS/2, German
KF1342	GFT-105-Front-Touch-PS/2-US	PS/2, US
KF1392	GFT-105-Front-Touch-PS/2-FR	PS/2, France
KF1393	GFT-105-Front-Touch-PS/2-Schweiz	PS/2, Swiss
KF1339	GFT-105-Front-Touch-USB-Ger	USB, German
KF1340	GFT-105-Front-Touch-USB-US	USB, US

Links

Click!	Titel
	GFT-Series Foil Keyboards for Industrial Applications
	GFT-Series Foil Keyboards for Industrial Applications

sales@tastaturen.com **Telefon:** (089) 89 43 99-0 **Fax:** (089) 89 43 99-11