
FZ-10 SERIES

Color Detection Fiber Sensor




Reliable and Precise Color Discrimination



Red, Green and Blue LEDs

FZ-10 incorporates red, green and blue LEDs as its beam sources, which promise longer lifetime and greater immunity against extraneous light than fluorescent lamps and are also maintenance free.



Excellent Color Detectability

Each of the red, green and blue components is digitally processed so that precise color discrimination is possible. **FZ-10** can discriminate between white and yellow or distinguish if a surface is plated or not, that could never be possible with conventional fiber sensors which were based on detection of light intensity.



Yellow article is reliably identified.





Dully gold-plated surface is reliably detected.


Easy Set Up

Just pressing a button recognizes the reference color you want to detect as the criterion. There are two methods to set the criterion, manual teaching and auto-teaching. The tolerance adjuster also allows you to set the tolerance of color equivalence in 16 grades.

■Criterion








APPLICATIONS


Detecting labels on different colored objects

Even if objects are differently colored, FZ-10 reliably detects the same color label.




Evaluating if objects are plated or not (Note 1)

Its precise color resolution discriminates a bare metal surface from a plated metal surface.



Detecting seals on boxes

It can reliably detect the presence of a seal on every package in the pharmaceutical, cosmetic, food, tobacco, and software industries.



- Notes: 1) FD-L52 fiber head (high precision type) or FD-L53 fiber head (extremely small spot type) is recommended for applications in which specular objects, having a high reflective index are to be detected, e.g., evaluating if metal objects are plated or not.

 FD-L54 fiber head (long sensing range type) is recommended for applications where the object wavers on the assembly line.

 - 2) FZ-10 may not be able to detect color depending on object shape, color, glossiness, etc. Please test before actual use and contact our office if you have any questions.

Miniature & Space-effective


The amplifier is only W20 \times H31.5 \times D67mm in size and the fiber head is just 7mm, 8mm or 12mm thick, so that it is mountable in a tight space.


Four Types of Fibers Are Available


The fiber can be selected according to the application and object size. The color of even a small object can be reliably detected.


High-speed Response Time: 1ms

Small traveling objects can be sensed even on a high-speed production line, due to its response time of 1ms.










<FD-L54>

<FD-L53>



FD-L52 fiber head (high precision type) or FD-L53 fiber head (extremely small spot type) is recommended for applications in which specular objects, having a high reflective index are to be detected, e.g., evaluating if metal objects are plated or not.

FD-L54 fiber head (long sensing range type) is recommended for applications where the object wavers on the assembly line.



ORDER GUIDE

Amplifiers

Туре	Appearance	Model No.	Emitting element	Output
NPN output type		FZ-11	Red LED Green LED Blue LED	NPN open-collector transistor
PNP output type		FZ-11P		PNP open-collector transistor

Fibers

Туре	Appearance	Setting distance	Spot diameter	Fiber cable length	Model No.
Standard	00	20mm (fixed)		1m	FD-L51
High precision	00	10mm (fixed)		1m	FD-L52
Extremely small spot	000	5mm (fixed)		1m	FD-L53
Long sensing range	000	40mm (fixed)	\$\phi 8mm (at the setting distance)	1m	FD-L54

Reference

Threaded head fiber

Color discrimination is also possible with FD-B8/FM2/G4 (standard fiber for the FX-D1/A1/M1 series) in combination with the FZ-10 series amplifier. As a standard fiber has a small head and is free-cut type, allowing you to cut the desired fiber cable length, it can be mounted in a narrow space.

FD-B

Setting distance: 8mm (fixed)



Setting distance: 5mm (fixed)

FD-G4

Setting distance: 4mm (fixed)








Caution: They cannot be used in an application which needs precision sensing.

OPTION

Designation	Model No.	Description
Universal sensor mounting stand (Note)	MS-AJ-F	Mounting stand assembly for fiber

Universal sensor mounting stand



SPECIFICATIONS

Amplifiers

	Туре	NPN output	PNP output	
Item	Model No.	FZ-11	FZ-11P	
Applicable fibers		FD-L51, FD-L52,	FD-L53, FD-L54	
Supply voltage		12 to 24V DC ± 10% Ripple P-P 10% or less		
Current consumption		45mA or less		
Sensing object		Opaque or translucent object larger than the spot diameter of the applicable fiber		
Output		NPN open-collector transistor	PNP open-collector transistor • Maximum source current: 100mA • Applied voltage: 30V DC or less (between output and + V • Residual voltage: 1V or less (at 100mA source current) 0.4V or less (at 16mA source current)	
Utilization of	category	DC-12 o	or DC-13	
Output ope	ration	Switchable either Coincide	ent-ON or Incoincident-ON	
Short-circu	it protection	Incorp	orated	
Response time		1ms or less (3ms or less when auto-teaching has been engaged)		
Indicators		Power indicator: Green LED (lights up when the power is ON, blinks during auto-teaching) Operation indicator: Red LED (lights up when the output is ON) **Both blink alternately when a manual teaching error occurs Both blink simultaneously when the output is short-circuited		
Γimer function		Approx. 40ms fixed OFF-delay timer (switchable either effective or ineffective)		
Teaching		Button operation, Switchable either manual-teaching or auto-teaching		
Tolerance		Adjustable in 16 grades with the tolerance adjuster		
Pollution de	egree	3 (Industrial	environment)	
Ambient te	mperature	- 10 to $+$ 55°C (No dew condensation or icin	ng allowed) (Note 1), Storage: - 20 to + 70°C	
Ambient humidity Ambient illuminance EMC Voltage withstandability Insulation resistance		35 to 85% RH, Storage: 35 to 85% RH		
Ambient illu	uminance	Sunlight: 10,000ℓx at the light-receiving face, Inca	candescent light: 3,000 ℓx at the light-receiving face	
EMC		Emission: EN50081-2,	Immunity: EN50082-2	
Voltage wit	hstandability	1,000V AC for one min. between all supply terminals connected together and enclosure (Note 2)		
Insulation r	esistance	20MΩ, or more, with 250V DC megger between all supp	oly terminals connected together and enclosure (Note 2)	
Vibration re	esistance	10 to 150Hz frequency, 0.75mm amplitude in X, Y and Z directions for two hours each		
Shock resis	stance	100m/s² acceleration (10G approx.) in X, Y and Z directions for three times each		
Emitting element		Red LED • Green LED • Blue LED (modulated)		
Material		Enclosure: ABS, Case cover: Polycarbonate, Fiber lock lever: PPS		
Cable		0.2mm ² 3-core cabtyre cable, 2m long		
Cable extension	1	Extension up to total 100m is possible with 0.3mm ² , or more, cable.		
Weight		85g approx.		
Accessories		MS-DIN-3 (Amplifier mounting bracket): 1 No., Adjusting screwdriver: 1 No.		

<sup>Notes: 1) The amplifier should be used under the ambient temperature of + 15°C to + 35°C when the tolerance adjuster is set from the 1st grade to the 4th grade, which provide fine color resolution.
2) The voltage withstandability and the insulation resistance values given in the above table are for the amplifier only.</sup>

SPECIFICATIONS

Fibers

Туре	Standard	High precision	Extremely small spot	Long sensing range
Item Model No.	FD-L51	FD-L52	FD-L53	FD-L54
Applicable amplifiers	FZ-11, FZ-11P			
Sensing range (Note 1)	14 to 24mm	8 to 11mm	4 to 6mm	30 to 50mm
Setting distance	20mm (fixed)	10mm (fixed)	5mm (fixed)	40mm (fixed)
Spot diameter (at setting distance)	<i>ϕ</i> 5mm	φ2.5mm	<i>ϕ</i> 1mm	φ8mm
Allowable bending radius	R25mm or more (Note 2)			
Fiber cable length	1m			
Ambient temperature	— 20 to + 70°C (No dew condensation or icing allowed), Storage: — 20 to + 70°C			
Ambient humidity	35 to 85% RH, Storage: 35 to 85% RH			
Material	Fiber core: Acrylic, Sheath: Polyethylene, Fiber head: Polycarbonate, Lens: Polyalylate (FD-L54: Acrylic)			
Weight	15g approx.			

Notes: 1) The sensing range of each fiber is the range for which white non-glossy paper can be detected at the sensitivity for which teaching has been done with a white non-glossy paper (50 × 50mm) at the respective rated setting distance and at the 16th grade of tolerance.


2) If the fiber cable is bent at less than R25mm or less, the detectability may deteriorate.

3) Since fiber FD-L51 (standard type) is easily affected by specular reflection, it is possible that teaching may not be properly done or sensing may be unstable if objects of high reflectivity (mirror, plated objects, copper foil, etc.) are sensed. When such objects are to be sensed, please use FD-L52 (high precision type) or FD-L53 (extremely small spot type) and make sure that the projected optical beam is perpendicular to the object surface.

I/O CIRCUIT AND WIRING DIAGRAMS


FZ-11 NPN output type

I/O circuit diagram




Symbols ... D: Reverse supply polarity protection diode ZD: Surge absorption zener diode Tr: NPN output transistor

Wiring diagram




FZ-11P PNP output type

I/O circuit diagram



Symbols ... D: Reverse supply polarity protection diode ZD: Surge absorption zener diode Tr : PNP output transistor

Wiring diagram



PRECAUTIONS FOR PROPER USE

Amplifier




This product is not a safety sensor. Its use is not intended or designed to protect life and prevent body injury or property damage from dangerous parts of machinery. It is a normal object detection sensor.

Mounting

How to mount the amplifier

- Fit the rear part of the amplifier on the attached amplifier mounting bracket (MS-DIN-3) or a 35mm width DIN rail.
- ② Press down the front part of the amplifier on the amplifier mounting bracket (MS-DIN-3) or DIN rail to fit it.




Attached amplifier mounting bracket or 35mm width DIN rail

How to remove the amplifier


- 1 Push the amplifier forward.
- ② Lift up the front part of the amplifier to remove it.

Note: Please take care that if the front part is lifted without pushing the amplifier forwards, the hooks on the rear portion of the mounting section are likely to break.



How to connect the fiber cables


- ① Unlock the fiber lock lever by lowering it.
- ② Insert the beamemitting fiber cable tagged with the mark 'P' into the beam-emitting part 'P', and the beam-receiving fiber cable into the beamreceiving part 'D'.



They should be inserted gradually until the position where they stop. If the emitting fiber cable and the receiving fiber cable are reversely inserted, proper operation cannot be obtained.

3 Lock the fiber lock lever to the original position.

Functional description



	Description	Function		
1	Fiber lock lever	Locks or unlocks fiber cables.		
2	Power indicator (Green LED)	Lights up when the power is ON, blinks during auto-teaching.	Both blink alternately when a manual teaching error occurs. Both blink simultaneously	
3	Operation indicator (Red LED)	Lights up when the output is ON.	when the output is short-circuited.	
4	Teaching protect switch	The teaching button is ineffective if this switch is set on 'LOCK', but is effective if this switch set is on 'SET'.		
(5)	Setting mode selection switch	Manual teaching is selected if the switch is set on 'MANUAL'. Auto-teaching is selected if the switch is set on 'AUTO'.		
6	Output operation mode switch	Coincident-ON is selected if the switch is set on 'NORMAL'. Incoincident-ON is selected if the switch is set on 'INVERSE'.		
7	Timer operation mode switch	The approx. 40ms fixed OFF-delay timer is ineffective if this switch is set on 'NON', but is effective if this switch is set on 'OFD'.		
8	Tolerance adjuster	Determines the tolerance of equivalence with respect to the reference color, that the sensor has been taught, in 16 grades.		
9	Teaching button	Teaches the sensor the reference color as the criterion. (While the button is held, the sensor emits blue, red, and green beams one after the other.		

Others

- Do not use during the initial transient time (0.5 sec.) after the power supply is switched on.
- Periodical teaching should be done to maintain stable sensing condition.

PRECAUTIONS FOR PROPER USE

Amplifier

Settina


• During teaching, the FZ-10 series resolves the color projected by the spot into red, green, and blue components which are processed as numerical values and stored into the EEPROM memory. If, during teaching, the spot area is not filled by one uniform color, such as when the target objects are smaller than the spot area, or are partly projected upon, then colors other than the one you want to detect may also be sensed. Make sure that objects

fill the whole spot area during teaching, as well as, sensing.

The taught data is saved in the EEPROM even when the sensor power supply is switched off. However, the guaranteed rewrite operations are limited to 100,000 times because of its lifetime.

• To manipulate the DIP switches, use a pair of tweezers, etc., with a tip width of 0.8mm approx.

Procedure




1. Setting reference color

· Prepare a sample object bearing the target color you want to detect. Choose manual teaching or auto-teaching.

Setting by manual-teaching


Teaching the reference color on a stationary object.



Setting by auto-teaching

Teaching the reference color on a moving object.

· If the sample object includes colors other than the reference color, perform manual teaching. The sample object must contain only one uniform color for correct auto-teaching.



LOCK SET

(6)

PRECAUTIONS FOR PROPER USE

Amplifier

2. Setting output operation


• Either Coincident-ON or Incoincident-ON can be selected.

Output operation	Operation	Output operation mode switch
Coincident-ON	Set the output operation mode switch on 'NORMAL'.	INVERSE NORMAL
Incoincident-ON	Set the output operation mode switch on 'INVERSE'.	INVERSE NORMAL

3. Setting timer operation

• The **FZ-10** series is incorporated with an OFF-delay timer fixed for 40ms approx. The OFF-delay timer operates when the timer operation mode switch is set on 'OFD'. Since the output signal is extended by a fixed time interval, this function is useful when the connected device has a slow response time or if small objects are being detected, resulting in a short output signal width.


Time chart




Timer period: T = 40ms approx.

4. Setting tolerance

- The tolerance adjuster determines the tolerance of equivalence with respect to the reference color in 16 grades.
- Set the arrow mark of the adjuster to the desired grade from 1st to 16th using the adjusting screwdriver.



- When the grade is changed, the output is turned ON, once, for resetting.
- Even if the grade is changed, the reference color taught earlier does not change until the sensor is taught again.
- When performing auto-teaching, it is possible that teaching may fail depending upon the tolerance grade. If this happens, change the tolerance grade and repeat the teaching.
- For 16th to 5th grade, color identification is done based upon the color (red, green, blue) component ratio. For 4th to 1th grade (precise range), brightness is also considered for color identification. Hence, when the adjuster is set to the FINE side (4th to 1th grade), minute differences in gloss or color shades are also detected.




Tolerance in precise range (4th to 1st grade)

- Within the precise range, color is identified in all aspects of hue, chroma, and lightness. Hence, the sensor can discriminate the reference color from others even if there is a subtle difference in glossiness or density.
- After the tolerance is set within the precise range, the sensor should be used under an ambient temperature of + 15 to + 35°C. Also, periodical teaching should be done to maintain the stable sensing conditions.
 Before teaching, wait for a warm-up time of 10 min. approx. after switching on the power supply.
- Please take care that extraneous light or vibration may affect the detectability.

Fiber

Mounting

 Mount with two M3 screws with a tightening torque of 0.5N·m or less.



 Several fiber heads of FD-L51, FD-L52, FD-L53 and FD-L54 can be mounted close together as long as their emitted spots do not overlap.

Others


- If the bending radius is smaller than the allowable value, the sensing performance may deteriorate.
- Wipe dirt or stains from the sensing faces with a soft cloth.
 Do not use any organic solvent for cleaning.
- Ensure that any strong extraneous light is not incident on the receiving face of the fiber head.
- Do not move or bend the fiber cable after the sensitivity setting. Detection may become unstable.
- Keep the fiber head surface intact. If it is scratched or spoiled, the detectability will deteriorate.
- Do not expose the fiber cable to any organic solvents.
- Ensure that the fiber head is not directly exposed to water. A water drop on the fiber head deteriorates the sensing.
- Do not apply excessive tensile force to the fiber cable.

DIMENSIONS (Unit: mm)

FZ-11 FZ-11P


Amplifier

Assembly dimensions with attached amplifier mounting bracket



MS-DIN-3


Amplifier mounting bracket (Accessory for **FZ-11**□)



Note: The top view is shown without the cover.




Fiber




FD-L52

Fiber



FD-L53

Fiber



FD-L54

Fiber

